




LITE SPIRIT

Model 5569

Try it. Wear it. Love it.

*Silhouette*



1

Timeless and minimalistic Silhouette design with contemporary lens shapes

---

2

Wide color range from classic & elegant to fashionably fresh

---

3

Only 2,32g in weight

---

4

Sleek lines reflected in temple design, almost invisible hinge to underline minimalist lines

---

5

Maintenance-free snap-hinges for easy handling

---


6

Adjustable and trimmable temples for the perfect fit

# CHASSIS

Frame made of High-Tech Titanium  
with parts of SPX®+

|    |                                                                                   |
|----|-----------------------------------------------------------------------------------|
| X  |  |
| 17 | 130/135                                                                           |
| 19 | 135/140/145                                                                       |
| 21 | 145                                                                               |



# ASSORTMENT DEMOS

| Model   | Lens                                                                                | Size       | 2540<br>Copper<br>Red                                                             | 4040<br>Violet                                                                    | 4640<br>Cobalt<br>Blue                                                              | 5040<br>Aqua                                                                       | 5740<br>Dark<br>Green                                                               | 6140<br>Mauve                                                                     | 6560<br>Ruthenium<br>Matte                                                          | 7530<br>Gold<br>Shiny                                                                 | Chassis                                                          |
|---------|-------------------------------------------------------------------------------------|------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|------------------------------------------------------------------|
| 5569/JN |    | 51/17/130  |  |                                                                                   |                                                                                     |                                                                                    |                                                                                     |                                                                                   |                                                                                     |                                                                                       | 5535 70<br>17/30,<br>17/35<br>19/35,<br>19/40,<br>19/45<br>21/45 |
| 5569/KE |    | 54/17/135  |                                                                                   |  |                                                                                     |                                                                                    |                                                                                     |                                                                                   |                                                                                     |                                                                                       |                                                                  |
| 5569/NC |    | 52/17/130  |                                                                                   |                                                                                   |                                                                                     |                                                                                    |                                                                                     |  |                                                                                     |                                                                                       |                                                                  |
| 5569/ND |   | 51/19/135  |                                                                                   |                                                                                   |                                                                                     |  |                                                                                     |                                                                                   |                                                                                     |                                                                                       |                                                                  |
| 5569/DN |  | 55/19/145  |                                                                                   |                                                                                   |                                                                                     |                                                                                    |                                                                                     |                                                                                   |                                                                                     |  |                                                                  |
| 5569/EP |  | 46/20*/145 |                                                                                   |                                                                                   |  |                                                                                    |                                                                                     |                                                                                   |                                                                                     |                                                                                       |                                                                  |
| 5569/KX |  | 51/19/145  |                                                                                   |                                                                                   |                                                                                     |                                                                                    |                                                                                     |                                                                                   |  |                                                                                       |                                                                  |
| 5569/KY |  | 54/19/140  |                                                                                   |                                                                                   |                                                                                     |                                                                                    |  |                                                                                   |                                                                                     |                                                                                       |                                                                  |

\* bridge size is: 21



Glazed models are only available in one color and in one size (see above schema).

## COLORS



### Col. / JN 2540 COPPER RED

Metal parts: copper red silky matte  
Hinge discs: copper red matte  
Temple ends: copper red matte  
Temple tips: brass shiny



### Col. / KE 4040 VIOLET

Metal parts: violet shiny  
Hinge discs: blue violet matte  
Temple ends: blue violet matte  
Temple tips: silver shiny



### Col. / NC 6140 MAUVE

Metal parts: mauve shiny  
Hinge discs: mauve matte  
Temple ends: mauve matte  
Temple tips: rose gold shiny



### Col. / ND 5040 AQUA

Metal parts: aqua silky matte  
Hinge discs: crystal matte  
Temple ends: light gray matte  
Temple tips: silver shiny



### Col. / KX 6560 RUTHENIUM MATTE

Metal parts: ruthenium silky matte  
Hinge discs: gray matte  
Temple ends: gray matte  
Temple tips: titanium matte



### Col. / KY 5740 DARK GREEN

Metal parts: dark green silky matte  
Hinge discs: green matte  
Temple ends: green matte  
Temple tips: champagne shiny



### Col. / DN 7530 GOLD SHINY

Metal parts: gold shiny  
Hinge discs: black matte  
Temple ends: black matte  
Temple tips: gold shiny



### Col. / EP 4640 COBALT BLUE

Metal parts: cobalt blue shiny  
Hinge discs: cobalt blue matte  
Temple ends: cobalt blue shiny  
Temple tips: silver shiny

# SHAPES

Model 5569 / JN-2540  
COPPER RED



Model 5569 / KE-4040  
VIOLET



Model 5569 / NC-6140  
MAUVE



Model 5569 / ND-5040  
AQUA



\* demo size

Model 5569 / DN-7530  
GOLD SHINY



Model 5569 / EP-4640  
COBALT BLUE



Model 5569 / KX-6560  
RUTHENIUM MATTE



Model 5569 / KY-5740  
DARK GREEN



\* demo size

# STYLE SHADES 5090



O 5090 A1 0101  
59/15 S, 62/15 L



O 5090 A1 0301  
59/15 S, 62/15 L



O 5090 A1 0601  
62/15 S, 64/15 L



O 5090 A1 0701  
62/15 S, 64/15 L



O 5090 A1 0801  
56/15 S, 58/15 L

## STYLE SHADES 5090 A1

**lens color:** gray with silver flash-mirror  
**bridge color:** gray silky matte



O 5090 B1 0102  
59/15 S, 62/15 L



O 5090 B1 0302  
59/15 S, 62/15 L



O 5090 B1 0602  
62/15 S, 64/15 L



O 5090 B1 0702  
62/15 S, 64/15 L



O 5090 B1 0802  
56/15 S, 58/15 L

## STYLE SHADES 5090 B1



**lens color:** brown with bronze flash-mirror  
**bridge color:** bronze silky matte

to fit models with bridge:



MST 861 

MST 962 

## SPARE PARTS



Please download OMA data from the media hub.



We recommend base curve 5, other curves possible

## EQUIPMENT



P 0036  
universal mounting-box



Case SHE 246  
Cleaning cloth PL 37  
Cardboard box FK 198



$n \geq 1,6$   
(+ PC, Trivex)

## METAL PARTS SURFACE

Col. / 7530  
gold plated, with lacquer finish

Col. / 6560  
ruthenium plated, with lacquer finish

Col. / 2540, 4040, 4640, 5040, 5740, 6140  
with color- and lacquer finish

## MATERIAL

Frame made of High-Tech Titanium  
with parts of SPX®+



THE ONENESS OF LENSES, FRAMES AND SERVICE.



TRY ON GLASSES ONLINE