

Bflex eyewear



Unbreakable frames

for real life.

#BEREAL · #BEYOU · #BEFLEX

Bflex eyewear

Unbreakable frames for real life.

Because thousands of consumers are tired of breaking their frames.
Because they don't identify with the "perfect models" in advertising.
Because they are simply looking for "all-round" frames that are durable, fit well,
are comfortable, and are good value for money.

Frames for real people that are proof of real lives.



#UNBREAKABLE

Extreme resistance
Recyclable
BPA Free
Natural origin
Cold glazing

Magnetic frame
for magnetic clip



Adjustable temples
Perfect fit

35% lighter than
acetate frames

3.0 Hinge
Maximum flexibility
360° Rotation

#UNBREAKABLES

Made of **Siliflex™**, a **patented** material of extreme resistance, maximum lightness and durability. Its ability to dissipate heat allows it to always recover its initial shape when subjected to any deformation, even at low temperatures.

It is a **BPA-free material**, **hypoallergenic** and **100% recyclable** thanks to its composition based on natural resins of vegetable origin.

#FLEXIBELS

Bflex™ frame temples can **rotate up to 360°** thanks to the "**Hinge 3.0**", a unique industrial innovation that eliminates breakage or deformation at the most critical point.

The **Siliflex™** joined with the "**Hinges 3.0**" is the perfect combination of strength and flexibility.

#MUCHMORE

All Bflex glasses are magnetised at the front to fit **the Sun Clip or the Night Driving Clip**. Thanks to its accessories you can change the style of your glasses and make them as versatile as you want.

#BEREAL · #BEYOU · #BEFLEX

From an important meeting, to a bike ride,
to a tickle war with your kids

**With Bf/ex you can do all the activities of real life,
without changing glasses!**

Turn your prescription glasses
into sunglasses in the
blink of an eye.

#SOLARCLIP*



- Polarised lenses cat. 3
- Made of TAC
- With BlueBlock™
- Mirrored and gradient** lenses

* Accessory not included

** Creative and Unique models

Better vision while
driving at night.

#DRIVINGCLIP*



- Light effect lenses for improved contrast and vision in low light conditions
- Made of TAC cat. 1
- With BlueBlock™

* Accessory not included

Stylish and functional. Keep
your glasses always at hand.

#CORD



- Made of rubber coated steel wire
- Silicone stoppers that attach to temple tips

Need more grip?

#HEADBAND*



- Interchangeable elastic band on the temples for a better grip of the glasses
- With latest generation 3.0 hinges

* Accessory not included



Available

Ref.: **BF02CLIP01**



Ref.: **BF02CLIP02**

**Solar clip and
night driving clip**

Bf/ex eyewear

CALIBER

54



54mm



145mm



16mm



36mm

B-You

Measures according to the
DIN EN ISO 8624 standard



Bicolor satin navy/Satin crystal blue

Ref.: **BF020254**



Bicolor brown carey/Black

Ref.: **BF020654**



Bicolor satin black/Crystal dark grey

Ref.: **BF020354**



Satin black

Ref.: **BF020454**



Satin navy/Cyan

Ref.: **BF020554**



Bicolor black/Crystal brown



Ref.: **BF020154**

Cord included

Available head band

Ref.: **BFD01**





Available

Ref.: BF08CLIP01/BF08CLIP01S



Ref.: BF08CLIP02/BF08CLIP02S

**Solar clip and
night driving clip**

Bf/ex eyewear

CALIBER

49	49mm	140mm	17mm	40mm
51	51mm	145mm	18mm	43mm

B-Genuine

Measures according to the
DIN EN ISO 8624 standard



Brown carey

49 - Ref.: **BF080649**
51 - Ref.: **BF080651**



Satin navy

49 - Ref.: **BF080249**
51 - Ref.: **BF080251**



Black/Grey

49 - Ref.: **BF080349**
51 - Ref.: **BF080351**



Satin brown/navy

49 - Ref.: **BF080149**
51 - Ref.: **BF080151**



Blue/Green

49 - Ref.: **BF080549**
51 - Ref.: **BF080551**



Satin black

49 - Ref.: **BF080449**
51 - Ref.: **BF080451**

Cord included

Available head band

Ref.: **BFB01**





Available

Ref.: BF03CLIP01



Ref.: BF03CLIP02

**Solar clip and
night driving clip**

Bf/ex eyewear

CALIBER

52



52mm



146mm



17mm



43mm

B-Fun

Measures according to the
DIN EN ISO 8624 standard



Satin mustard/Black

Ref.: **BF030652**



Satin black/Lime

Ref.: **BF030252**



Satin navy/Orange

Ref.: **BF030352**



Satin dark grey/Grey

Ref.: **BF030152**



Black

Ref.: **BF030552**



Matte khaki/Black

Ref.: **BF030452**

Cord included

Available head band

Ref.: **BFB02**





Available

Ref.: BF06CLIP01



Ref.: BF06CLIP02

**Solar clip and
night driving clip**

**Bf/ex
eyewear**

CALIBER

54



54mm



148mm



18mm



36mm

B-Happy

Measures according to the
DIN EN ISO 8624 standard



Brown carey

Ref.: **BF060654**



Black/Green

Ref.: **BF060254**



Satin blue/Light blue/Black

Ref.: **BF060154**



Satin khaki/Black

Ref.: **BF060454**



Satin black

Ref.: **BF060554**



Satin dark grey/Blue

Ref.: **BF060354**

Cord included

Available head band

Ref.: **BFB02**



Bf/ex
eyewear



Available

Ref.: BF12CLIP01



Ref.: BF12CLIP02

**Solar clip and
night driving clip**

Bf/ex eyewear

CALIBER

61



61mm



146mm



19mm



45mm

B-Slay

**BIG
size**

Measures according to the
DIN EN ISO 8624 standard



Satin blue/Black

Ref.: **BF120561**



Black

Ref.: **BF120161**



Satin peacock blue/Light blue

Ref.: **BF120261**



Dark brown/Garnet

Ref.: **BF120361**



Satin grey/Black/Green

Ref.: **BF120461**

Cord included

Available head band

Ref.: **BFD02**



Matte brown carey

Ref.: **BF120661**

**Bf/ex
eyewear**



Available




Ref.: BF01CLIP01/BF01CLIP01L



Ref.: BF01CLIP02/BF01CLIP02L

**Solar clip and
night driving clip**

Bf/ex eyewear

CALIBER				
56	56mm	145mm	15mm	38mm
58	58mm	145mm	17mm	39mm

B-Real

Measures according to the
DIN EN ISO 8624 standard



Black

56 - Ref.: **BF010356**
58 - Ref.: **BF010358**



Matte navy/Red/Black

56 - Ref.: **BF010256**
58 - Ref.: **BF010258**



Satin black/Grey

56 - Ref.: **BF010156**
58 - Ref.: **BF010158**



Satin dark grey/Orange

56 - Ref.: **BF010456**
58 - Ref.: **BF010458**



Satin blue

56 - Ref.: **BF010556**
58 - Ref.: **BF010558**

Cord included

Available head band

Ref.: **BFB01**



Matte brown carey

56 - Ref.: **BF010656**
58 - Ref.: **BF010658**



Available

Ref.: BF04CLIP01



Ref.: BF04CLIP02

**Solar clip and
night driving clip**

**Bf/ex
eyewear**

CALIBER

55



55mm



146mm



19mm



40mm

B-Original

Measures according to the
DIN EN ISO 8624 standard



Matte brown carey

Ref.: **BF040655**



Satin dark grey/Lime

Ref.: **BF040255**



Satin black/Blue

Ref.: **BF040155**



Black

Ref.: **BF040455**



Satin brown/Black

Ref.: **BF040555**



Satin blue

Ref.: **BF040355**

Cord included

Available head band

Ref.: **BFB02**



Bf/ex
eyewear



Available

Ref.: BF05CLIP01M/BF05CLIP01L



Ref.: BF05CLIP02M/BF05CLIP02L

**Solar clip and
night driving clip**

Bf/ex eyewear

CALIBER

			
53	53mm	148mm	17mm
55	55mm	158mm	18mm

B-Great

Measures according to the
DIN EN ISO 8624 standard

**Satin red/Black**

53 - Ref.: **BF050653**
55 - Ref.: **BF050655**

**Black/Red**

53 - Ref.: **BF050253**
55 - Ref.: **BF050255**

**Satin black/Grey/Blue**

53 - Ref.: **BF050353**
55 - Ref.: **BF050355**

**Satin black**

53 - Ref.: **BF050453**
55 - Ref.: **BF050455**


**Satin blue/Grey/Black**

53 - Ref.: **BF050153**
55 - Ref.: **BF050155**

**Satin maroon/Black**

53 - Ref.: **BF050553**
55 - Ref.: **BF050555**

Cord included**Available head band**Ref.: **BFB02**
Bf/ex
eyewear



Available

Ref.: BF07CLIP01



Ref.: BF07CLIP02

**Solar clip and
night driving clip**

Bf/ex eyewear

CALIBER

58



58mm



146mm



18mm



39mm

B-Bold

Measures according to the
DIN EN ISO 8624 standard



Satin dark turquoise/Black

Ref.: **BF070658**



Satin dark grey/Black/Red

Ref.: **BF070258**



Black/Blue

Ref.: **BF070358**



Satin navy

Ref.: **BF070458**



Satin black

Ref.: **BF070558**

Cord included

Available head band

Ref.: **BFB02**



Satin blue/Light grey/Black

Ref.: **BF070158**

Bf/ex
eyewear



Available





Ref.: BF09CLIP01/BF09CLIP01S



Ref.: BF09CLIP02/BF09CLIP02S

**Solar clip and
night driving clip**

Bf/ex eyewear

CALIBER				
52	52mm	140mm	16mm	40mm
54	54mm	145mm	17mm	42mm

B-Flexible

Measures according to the
DIN EN ISO 8624 standard



Violet blue

52 - Ref.: **BF090552**
54 - Ref.: **BF090554**



Satin black/Grey

52 - Ref.: **BF090152**
54 - Ref.: **BF090154**



Satin navy/Crystal brown

52 - Ref.: **BF090352**
54 - Ref.: **BF090354**



Black

52 - Ref.: **BF090452**
54 - Ref.: **BF090454**



Brown carey

52 - Ref.: **BF090652**
54 - Ref.: **BF090654**

Cord included

Available head band


Ref.: **BFD01**



Bicolor satin maroon /Crystal maroon/Black

52 - Ref.: **BF090252**
54 - Ref.: **BF090254**

Bflex
eyewear



Available

Ref.: BF10CLIP01



Ref.: BF10CLIP02

**Solar clip and
night driving clip**

**Bf/ex
eyewear**

CALIBER

52



52mm



140mm



18mm



44mm

B-Creative

Measures according to the
DIN EN ISO 8624 standard



Black carey
Ref.: **BF100652**



Black
Ref.: **BF100252**



Purple/Raspberry
Ref.: **BF100352**



Navy
Ref.: **BF100152**



Bicolor burgundy/Crystal burgundy
Ref.: **BF100552**



Violet/Lilac
Ref.: **BF100452**

Cord included

Available head band

Ref.: **BFB01**





Available

Ref.: BF11CLIP01/BF11CLIP01S







Ref.: BF11CLIP02/BF11CLIP02S

**Solar clip and
night driving clip**

Bf/ex eyewear

CALIBER

			
52	52mm	140mm	15mm
54	54mm	140mm	15mm

B-Unique

Measures according to the
DIN EN ISO 8624 standard



Satin purple/Raspberry

52 - Ref.: **BF110152**
54 - Ref.: **BF110154**



Black

52 - Ref.: **BF110252**
54 - Ref.: **BF110254**



Navy/Blue

52 - Ref.: **BF110352**
54 - Ref.: **BF110354**



Bicolor purple/Crystal purple

52 - Ref.: **BF110452**
54 - Ref.: **BF110454**



Satin green turquoise/Turquoise

52 - Ref.: **BF110552**
54 - Ref.: **BF110554**

Cord included

Available head band

Ref.: **BFB01**



Black carey

52 - Ref.: **BF110652**
54 - Ref.: **BF110654**

Bflex eyewear



Unbreakable frames

for real life.

Made by Bflex (Spain)
Phone: +34 600 514 183
email: info@gvo-optic.com
www.bflexeyewear.com

Gvooptics
gvo-optic.com

Bflex video



Authorized distributor:

CATBF01EN

